



HDR45

Air Heaters



Infrared heater – maximum heat output in any position.

Where ever targeted heating is required the HDR45 provides radiant heat directly from the heater surface, and thus drying and providing heat without the need to heat the surrounding air. Even under windy conditions the right temperatures are attained quickly and reliably.

- Targeted infrared radiant heat, without heating the ambient atmosphere
- The best in its class with 45 kW
- 15 hours of running time with one full diesel tank
- Active cooling system keeps the housing much cooler than with comparable models
- Optional thermostat remote control for a constant optimal construction site temperature

Heater competence to the last detail.



Enhanced safety

Secure operation due to flame detector, overheating protection and other safety functions.



Significant saving potential

Save time, resources and operating costs due to our highly efficient technologies.



Easy to transport

With the assembled trailers, integrated wheels, lifting lugs and forklift straps attached the heater can easily be transported to your construction site.



Range of products


Find the right heater for your projects amongst the range of performance variations.



Heat distribution pattern

Forced Air Heater (standard)

Direct Radiant Heater - HDR 45





Technical specifications

Operating data

L x W x H	1,410 x 711 x 1,054 mm
L x W x H (shipping)	1,027 x 705 x 1,036 mm
Operating weight (with fuel)	127 kg
Shipping weight (no fuel)	91 kg
Net weight (assembled - no fuel)	73 kg
Heating power	42.7 kW
Space heating volume	5,800 m ³
Heat efficiency	100 %
Voltage	230 V
Fuel type	Diesel
Fuel consumption	4.34 l/h
Tank capacity	65 l
Runtime	15 h

Please note

that product availability can vary from country to country. It is possible that information / products may not be available in your country. More detailed information on engine power can be found in the operator's manual; the stated power may vary due to specific operating conditions.

Subject to alterations and errors excepted. Applicable also to illustrations.

Copyright © 2015 Wacker Neuson SE.